



M-TEC Flatbed Range

# STANDARD FEATURES



WELDED  
HEADBOARD




LED  
LIGHTS



SPARE WHEEL &  
BRACKET



LASHING  
POINTS



RESIN  
FLOOR

## NOISE CANCELLING FEATURES

To minimize noise during transit, the M-TEC flatbed range is equipped with various features designed for this purpose. The dropsides are securely fastened with spring-loaded latches, ensuring they remain tightly closed.

A distinctive feature of the M-TEC is the Spring Ramp retainer bracket. This bracket is strategically positioned at the center of the ramp carriers. When the ramps are secured in place, the bracket prevents any vertical movement during transit.



### Flat Bed Standard Features

- 2700KG- 3500KG KNOTT coupling
- LED lighting
- Heavy duty jockey wheel
- Fully welded head board
- Lashing points
- Spare wheel and bracket
- Leaf spring suspension
- 185/60/R12 Tyres
- Knott Axles with all wheels braked
- Ramp holders/carriers
- Resin Flooring
- Galvanised finish
- Fully welded Chassis
- Fully certified trailer



# OPTIONAL EXTRAS



DROP SIDES



CHEQUERED FLOOR



LADDER RACK



PROP STANDS



WHEEL CHOCKS



MESH SIDES



MANUAL/ELECTRIC WINCH



TRAILER WRAPPING



PLASTIC TOOLBOX



ALUMINIUM TOOLBOX



FULL RAMP DOOR



6FT/8FT RAMPs



CRASH BARRIERS



REAR LADDER RACK

M-TEC flatbed range is available with array of optional extras to suit a variety of customer requirements. Whether you need additional storage solutions like a toolbox, enhanced safety features with crash barriers, or convenience with a manual or electric winch, the M-TEC flatbed can be customized to meet your specific needs. The optional ladder rack provides further utility for transporting longer items, while the chequered floor option adds extra durability and grip. For those looking to make a statement, M-TEC mudflaps are available, ensuring your trailer stands out on the road.



# SPECIFICATIONS

| Model   | Imperial Size | Tyres      | unladen Weight | Gross Weight | Internal Length | Internal Width | External Length | External Width | Axles |
|---------|---------------|------------|----------------|--------------|-----------------|----------------|-----------------|----------------|-------|
| FB1052S | 10FT x 5'6"   | 185/60/R12 | 580KGS         | 2700KGS      | 3010mm          | 1700mm         | 4790mm          | 1700mm         | 2     |
| FB1052H | 10FT x 5'6"   | 185/60/R12 | 610KGS         | 3500KGS      | 3010mm          | 1700mm         | 4790mm          | 1700mm         | 2     |
| FB1262  | 12FT x 6'6"   | 185/60/R12 | 675KGS         | 3500KGS      | 3650mm          | 2000mm         | 4975mm          | 2000mm         | 2     |
| FB1263  | 12FT x 6'6"   | 185/60/R12 | 740KGS         | 3500KGS      | 3650mm          | 2000mm         | 4975mm          | 2000mm         | 3     |
| FB1462  | 14FT x 6'6"   | 185/60/R12 | 800KGS         | 3500KGS      | 4250mm          | 2000mm         | 5575mm          | 2000mm         | 2     |
| FB1463  | 14FT x 6'6"   | 185/60/R12 | 865KGS         | 3500KGS      | 4250mm          | 2000mm         | 5575mm          | 2000mm         | 3     |
| FB1663  | 16FT x 6'6"   | 185/60/R12 | 875kgs         | 3500KGS      | 4850mm          | 2000mm         | 6184mm          | 2000mm         | 3     |



M-TEC Distributor Name:

Contact Number:

M-TEC flatbed trailer range, designed to meet the rigorous demands of both the agricultural and construction sectors. Built with the same strength and durability as their existing trailer lineup, the flatbed trailers are engineered to handle heavy-duty tasks with ease. The smart design, featuring optimized axle placement, ensures a smooth and stable towing experience, even under heavy loads.

In addition to their robust performance, they maintain a sleek and aesthetically pleasing design, making them both functional and visually appealing. This new range reinforces M-TEC's commitment to delivering reliable, high-quality trailers that stand up to the toughest challenges.

### **Experience the M-TEC Trailers difference!**

*Unrivalled Strength. Unmatched Durability.*

*Unforgettable Design.*

**Address:** Drumconra, Swanlinbar Co.Cavan

(IRL) 00353 858523737

((IRL) 00353 4943 20620

**Web:** [www.m-tec.ie](http://www.m-tec.ie)



SCAN OUR QR CODE  
to view our full range of products

